EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"10551661"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L2	189	mathML or (mathematical near2 markup near2 language)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L3	11	(mathML or (mathematical near2 markup near2 language)) and (multimedia with display \$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L4	39439	(question or test or quiz) with generator	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L5	170	((question or test or quiz) with generator) and ((display\$10 or show\$10) with (list or multimedia or media or question) with (content or figure))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L6	120	((question or test or quiz) with generator) and ((display\$10 or show\$10) with (list or multimedia or media or question) with (content or figure)) and configur\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L7	5	((question or test or quiz) with generator) and ((display\$10 or show\$10) with (list or multimedia or media or question) with (content or figure)) and (categori\$10 with type)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L8	4372	((question or test or quiz) with generator).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29

L9	2457	((question or test or quiz) NEAR3 generator).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L10	0	(((question or test or quiz) with generator) and ((display\$10 or show\$10) with (list or multimedia or media or question) with (content or figure))).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L11	2	((question or test or quiz) with generator).ti. and ((display\$10 or show\$10) with (list or multimedia or media or question) with (content or figure))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L12	981	(preorder or (root with left with right)) with (tree or node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L13	87	(preorder or (root with left with right)) with (tree or node) and (Generat\$10 with (question or quiz or test))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L14	30	(preorder or (root with left with right)) with (tree or node) and (Generat\$10 with (question or quiz or test)) and (flash or xml or mathml or (markup NEAR2 language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L15	13	(preorder or (root with left with right)) with (tree or node) and (Generat\$10 with (question or quiz or test)) and (flash and xml or mathml or (markup NEAR2 language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L16	74	(preorder or (root with left with right)) with (tree or node) and (flash) and (xml or mathml or (markup NEAR2 language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L17	3686	(preorder or (root with left with right))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29

L18	2	(preorder or (root with left with right)) with (tree or node) and (flash) and (mathml or (mathematical near2 markup near2 language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L19	3	(preorder or (root with left with right)) with (tree or node) and (mathml or (mathematical near2 markup near2 language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L20	15	((preorder or (root with left with right)) with (tree or node)) and ((question or test or quiz) with generat\$10) and (XML or (markup NEAR2 language)) and (Categor \$10 or class\$13)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L21	86774	(mathML or XML or (markup language) or (math\$13 NEAR markup NEAR language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L22	16155	(mathML or XML or (markup language) or (math\$13 NEAR markup NEAR language)) and (multi\$2media)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L23	43	(mathML or (math\$13 NEAR markup NEAR language)) and (multi \$2media)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L24	17	(mathML or (math\$13 NEAR markup NEAR language)) and (multi \$2media) and (categor\$10 or classif\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L25	1427	(SVT or (Super NEAR2 Versatile NEAR2 Text) or (Super\$2Versatile\$2Text))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L26	268	(SVT or (Super NEAR2 Versatile NEAR2 Text) or (Super\$2Versatile\$2Text)) and (flash or Macromedia)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29

L27	1	(SVT or (Super NEAR2 Versatile NEAR2 Text) or (Super\$2Versatile\$2Text)) and (flash or Macromedia) and ((display\$10 or show \$10) with multi\$2media)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L28	9	(SVT or (Super NEAR2 Versatile NEAR2 Text) or (Super\$2Versatile\$2Text)) and (flash or Macromedia) and (multi\$2media)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L29	1	((Super NEAR2 Versatile NEAR2 Text) or (Super \$2Versatile\$2Text)) and (flash or Macromedia) and (multi\$2media)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L30	1	((Super NEAR2 Versatile NEAR2 Text) or (Super \$2Versatile\$2Text)) and (Macromedia) and (multi \$2media)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L31	1	((Super NEAR2 Versatile NEAR2 Text) or (Super \$2Versatile\$2Text)) and (Macromedia)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L32	1	"6463440".pn. and (video or multi\$2media)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L33	4284	(categor\$10 or class\$14) with data with type with (object)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L34	419	(categor\$10 or class\$14) with data with type with (object) with (textual or video or audio or graphic or image)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L35	135	(categor\$10 or class\$14) with data with type with (object) with (textual or video or audio or graphic or image) and tree	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L36	0	(categor\$10 or class\$14) with data with type with (object) with (textual or video or audio or graphic or image) and tree and (preorder)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29

L37	8	(categor\$10 or class\$14) with data with type with (object) with (textual or video or audio or graphic or image) and tree and (pre\$2order)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L38	9	(categor\$10 or class\$14) with type with (object) with (textual or video or audio or graphic or image) and (pre\$2order)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L39	10	(categor\$10 or class\$14) with type with (data or object) with (textual or video or audio or graphic or image) and (pre \$2order) and (XML or (markup language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L40	6	(("20050041834") or ("20040153508") or ("20030172196") or ("20030158911") or ("6578192") or ("6463440")).PN.	US-PGPUB; USPAT	OR	OFF	2008/10/10 08:29
L41	2	L40 and (display\$10 same (tree or node))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L42	1	"10551661" and (file same creat\$10 same object)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L43	4	L40 and (creat\$10 with node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L44	6	L40 and display\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L45	6	L40 and creat\$10 with object	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29

L46	1	"10551661" and (creat\$10 NEAR4 object)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L47	1246	((creat\$10 with object) with type) and (tree same node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L48	49	((creat\$10 with object) with type) and (tree same node) and ((categor\$10 or class\$14) with type with (data or object) with (textual or video or audio or graphic or image))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L49	140	layout\$7 and pars\$10 and ((categor\$10 or class\$14) with type with (data or object) with (textual or video or audio or graphic or image or text)) and (markup NEAR2 language)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L50	1	(MathML or MML) with (markup language) same (display\$10) same equation	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L51	5	(MathML or MML) with (markup language) same equation	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L52	6	(("20050041834") or ("20040153508") or ("20030172196") or ("20030158911") or ("6578192") or ("6463440")).PN.	US-PGPUB; USPAT	OR	OFF	2008/10/10 08:29
L53	0	L52 and Macromedia	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L54	247	(Macromedia same flash) and layout and (markup language)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29

L55	80	(Macromedia same flash) and layout and (markup language) and (pars\$10) and tree	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L56	90	(Macromedia same flash) and layout and (markup language) and (pars\$10) and (tree or node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L57	73	(Macromedia same flash) and layout and (markup language) and (pars\$10) and (tree or node) and (categor\$10 or class\$14)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L58	66	(Macromedia same flash) and layout and (markup language) and (pars\$10) and (tree or node) and ((categor\$10 or class\$14) with (data or type or object))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L59	30	(Macromedia same flash) and layout and (markup language) and (pars\$10 same ((categor\$10 or class \$14) with (data or type or object))) and (tree or node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L60	13	(Macromedia same flash same file) and layout and (markup language) and (pars\$10 same ((categor \$10 or class\$14) with (data or type or object))) and (tree or node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L61	29	(Macromedia same flash same (document or file)) and layout and (markup language) and (pars\$10 same ((categor\$10 or class \$14) with (data or type or object))) and (tree or node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L62	55	(files WITH (Macromedia)) and (pars\$10 with (data or type or object)) and (categor\$10 or class\$14)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29

L63	30	(files WITH (Macromedia)) and (pars\$10 with (data or type or object)) and (categor\$10 or class\$14) and (markup language)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L64	1	(files WITH (Macromedia)) same (pars\$10 with (data or type or object)) and (categor\$10 or class\$14) and (markup language)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L65	3	(files WITH (Macromedia or flash)) with (pars\$10) and (categor\$10 or class \$14) and (markup language)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L66	10	("5587560" "5600834" "5799315" "6240414" "7106905").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L67	2	L66 and pars\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L68	7	(("20050041834") or ("20040153508") or ("20030172196") or ("20030158911") or ("6578192") or ("20030009099") or ("6463440")).PN.	US-PGPUB; USPAT	OR	OFF	2008/10/10 08:29
L69	7	L68 and (pars\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L70	4	L68 and (pars\$10) and (pre\$2order)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L71	160	(data NEAR2 object NEAR2 model or DOM) and (pars\$10 same (categor\$10 or calss\$12))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29

L72	99	(data NEAR2 object NEAR2 model or DOM) and (pars\$10 same (categor\$10 or calss\$12) same (type or object or data))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L73	121	(data NEAR2 object NEAR2 model or DOM) and (pars\$10 same (categor\$10 or calss\$12) same (type or object or data or image or video or text\$10))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L74	88	(data NEAR2 object NEAR2 model or DOM) and (pars\$10 same (categor\$10 or calss\$12) same (type or object or data or image or video or text\$10)) and (markup language)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L75	30	(data NEAR2 object NEAR2 model or DOM) and (pars\$10 same (categor\$10 or calss\$12) same (type or object or data or image or video or text\$10)) and (markup language) and (creat\$10 with node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L76	0	(data NEAR2 object NEAR2 model or DOM) and (pars\$10 same (categor\$10 or calss\$12) same (type or object or data or image or video or text\$10)) and (markup language) and (creat\$10 with node) and (pre \$2order)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L77	6225	(categor\$10 same (text \$6) same (type))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L78	1418	(categor\$10 same (text \$6) same (type)) and (markup language)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29

L79	88	(pars\$10 same categor \$10 same (text\$6) same (type)) and (markup language)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L80	2	(pars\$10 same categor \$10 same (text\$6) same (type)) and (markup language) and (pre \$2order)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L81	О	(pars410 and (video or image or picture or text or paragraph) with node) and (markup language) and (pre\$2order)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L82	0	(pars410) and ((video or image or picture or text or paragraph) with node) and (markup language) and (pre\$2order)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L83	9	(("20050041834") or ("20040153508") or ("20030172196") or ("20030158911") or ("6578192") or ("20030009099") or ("20020161801") or ("6463440") or ("20020016801")).PN.	US-PGPUB; USPAT	OR	OFF	2008/10/10 08:29
L84	4	L83 and (pre\$2order)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L85	0	L83 and (macromedia)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L86	33	(categor\$10 or class\$14) with data with type with (object) with (textual or video or audio or graphic or image) and 707/1,10,100.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:38
L87	25	(categor\$10 or class\$14) with data with type with (object) with (textual or video or audio or graphic or image) and 707/104\$. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:38

L88	9	(object) with (textual or	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:39
L89	0	(categor\$10 or class\$14) with data with type with (object) with (textual or video or audio or graphic or image) and 434/1,322,336.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:39

10/10/2008 8:39:44 AM

C:\ Documents and Settings\ yzhao\ My Documents\ EAST\ Workspaces\ 10551661.wsp